PART I:	General Information
Name:	Maria Venihaki
Office address:	Lab. of Clinical Chemistry Medical School, University of Crete, Voutes, Heraklion, Crete, 71003, Greece
Email:	venihaki@med.uoc.gr
Place of birth:	Heraklion, Crete, Greece
Marital Status:	Married with 2 children

Education:

- 1991: Bachelor of Science in Pharmacy, School of Health Sciences, Aristotelian University of Thessaloniki
- 1992: Courses on Advanced Laboratory Technology, School of Medicine, University of Crete
- 1996: Graduate program (PhD) in Clinical Chemistry, School of Medicine, University of Crete

Postdoctoral Training:

1997-July 1999: Research fellow in Endocrinology, Children's Hospital, Harvard Medical School, Boston, MA

Academic Appointment:

1997- July 1999: Research Fellow in Pediatrics, Harvard Medical School, Boston, MA July 1999-2002: Instructor in Pediatrics, Harvard Medical School, Boston, MA 2003- Sept 2005 Instructor in Developmental Biology, IIBEAA, Athens

Oct 2005-May 2008: Research Scientist, PD407, Laboratory of Clinical chemistry, UOC, Crete

May 2008-present: Assistant Professor in Clinical Chemistry, Medical School, University of Crete

July 2008-present: Staff member of the clinical laboratory of Clinical Chemistry, University General Hospital of Heraklion

Professional Society Involvement:

1997-present: Endocrine Society, Full Member

1998-present: American Neuroendocrine Society, Member

2004-present: EEMBB, Member

2010- Society of Clinical Chemistry

Awards:

- 1996: Ikkos Award of the Greek Endocrine Society for the best endocrine paper produced in Greece and published in an international journal.
- 2001: Mara Lieberman Travel Grant Award of the American Endocrine Society for the abstract titled: "Altered hypothalamic-pituitary-adrenal (HPA) axis regulation in tumour necrosis factor alpha (TNFα)-deficient mice."
- 2002: Travel Grant Award of the American Endocrine Society for the abstract titled: "A role for CRH in cutaneous wound healing."
- 2010: Award of the Greek society of Pharmacology for the best presented abstract entitled "Inhibition of the inflammatory response of activated microglia by a novel 17 spiro analog of neurosteroid dehydroepiandrosterone".

Member in Graduate Programs:

2007-present: Graduate program in "Cellular and Genetic Etiology, Diagnosis and Treatment of Human Disease" of the Medical School, University of Crete

2008-present: Interdepartmental Graduate Programme in the BRAIN and MIND sciences, University of Crete

2010-present: Graduate program in "Neurosciences" of the Medical School, University of Crete

PART II:

Research Interests:

My research focuses on the role of CRH (a) in fetal and postnatal development and (b) in the physiological responses during inflammation. More specifically I use the CRH knockout mice developed in our laboratory to study

(i) The role of glucocorticoid and CRH in fetal lung development,

(ii) The development of the HPA axis in fetal and neonatal life and the effect of circadian rhythmicity onset, in adrenal gland maturation and adequate stress response,

(iii) The role of CRH as a proinflammatory factor in modulating cytokine expression, tissue vascularization and wound healing,

(iv) The role of CRH and CRH-related peptides in stress-induced behaviours.

Report of Grants:

1: RO1, NIH/NIHCD Project: The role of glucocorticoids in pulmonary maturation (Terminated) PI: Joseph A Majzoub Role: Investigator

2: NARSAD Young Investigator Award

Title: The role of CRH-related peptides in stress-induced behaviors and anxiety (Terminated)

PI: Maria Venihaki

3: PENED, GSRT Title: Role of CRH in angiogenesis and wound healing (Active) PI: Katia Karalis Role: Investigator

4: KESY, Ministry of Health Title: Elucidation of the structure and function of type I CRF receptor for designing selective drugs for diagnosis and treatment of tumors expressing this receptor (Active) PI: George Liapakis Role: Investigator

5: Hrakleitos II, Mistry of Education Title: Inflammation-induced analgesia: Role of stress neuropeptides (Active) PI: Maria Venihaki

6: ELKE: Institutional Support (start up) Title: Role of CRH in peripheral analgesia (Active) PI: Maria Venihaki

7: ELKE: Institutional Support (consumables) Title: Role of Adipose Derived Stem Cells (ADSCs) in Wound Healing Of Lean and Obese mice (Active) PI: Maria Venihaki

Report of teaching

1995-96: University of Crete, Medical School, Clinical Chemistry, Teaching Assistant

1999-2005: Training of Ph.D students and post-doctoral fellows, Children's Hospital, Boston MA and IIBEAA, Athens Greece

2005-present: Participation in the teaching of the course of Laboratory Medicine, Medical School, UOC

October 2006-present: Participation in the teaching of the course of Neuroendocrinology in the Graduate program "Brain and Mind"

March 2009: Participation in the teaching of the course of Pathophysiology in the graduate program "Cellular and Genetic Etiology, Diagnosis and Treatment of Human Disease"

PART III:

Publications:

Original articles:

(1) **Venihaki M**, Gravanis A, Margioris AN. Opioids inhibit dopamine secretion from PC12 rat pheochromocytoma cells in a naloxone-reversible manner. Life Sciences, 58:75-82, 1995.

(2) **Venihaki M**, Gravanis A, Margioris AN. Kappa opioids exert a strong antiproliferative effect on PC12 rat pheochromocytoma cells. Peptides, 17(3): 413-419, 1996.

(3) **Venihaki M**, Gravanis A, Margioris AN. Comparative study between normal rat chromaffin and PC12 rat pheochromocytoma cells: Production and effects of Corticotropin-Releasing Hormone. Endocrinology, 138(2): 698-704, 1997.

(4) **Venihaki M**, Ain K, Dermitzaki E, Gravanis A, Margioris AN. KAT45, a noradrenergic human pheochromocytoma cell line producing corticotropin-releasing hormone. Endocrinology 139(2): 713-22, 1998.

(5) **Venihaki M,** Carrigan A, Dikkes P, Majzoub JA. Circadian rise in maternal glucocorticoid prevents pulmonary dysplasia in fetal mice with adrenal insufficiency. Proc Natl Acad Sci U S A.97(13):7336-41, 2000.

(6) Huang SA, Tu HM, Harney JW, **Venihaki M**, Butte AJ, Kozakewich HP, Fishman SJ, Larsen PR. Severe hypothyroidism caused by type 3 iodothyronine deiodinase in infantile hemangiomas. N Engl J Med. 343(3):185-9, 2000.

(7) Dermitzaki E, Gravanis A, **Venihaki M**, Stournaras C, Margioris AN. Opioids suppress basal and nicotine-induced catecholamine secretion via a stabilizing effect on actin filaments. Endocrinology. 142(5): 2022-31, 2001.

(8) **Venihaki M**, Dikkes P, Carrigan A, and Karalis K.P. Corticotropin-releasing hormone regulates IL-6 expression during inflammation. J. Clin. Invest. 108:1159–1166, 2001.

(9) Wlk M, Wang CC, **Venihaki M**, Liu J, Zhao D, Anton PM, Mykoniatis A, Pan A, Zacks J, Karalis K, Pothoulakis C. Corticotropin-releasing hormone antagonists possess antiinflammatory effects in the mouse ileum. Gastroenterology: 123(2):505-15, 2002.

(10) Mykoniatis A, Anton PM, Wlk M, Wang CC, Ungsunan L, Bluher S, **Venihaki M**, Simeonidis S, Zacks J, Zhao D, Sougioultzis S, Karalis K, Mantzoros C, Pothoulakis C. Leptin mediates Clostridium difficile toxin A-induced enteritis in mice. Gastroenterology: 124(3):683-91, 2003.

(11) **Venihaki M**, Zhao J, and Karalis KP. Corticotropin-releasing hormone deficiency results in impaired splenocyte response to lipopolysaccharide. J Neuroimmunol. 141(1-2): 3-9, 2003.

(12) Karalis KP, **Venihaki M***, Zhao J*, vanVlerken LE, Chandras C *equally contributed authors.* NF-kappaB participates in the corticotropin-releasing, hormone-induced regulation of the pituitary proopiomelanocortin gene. J Biol Chem. 279(12):10837-40, 2004.

(13) **Venihaki M**, Sakihara S, Subramanian S, Dikkes P, Weninger SC, Liapakis G, Graf T, Majzoub JA. Urocortin III, a brain neuropeptide of the corticotropin-releasing hormone family: modulation by stress and attenuation of some anxiety-like behaviours. J Neuroendocrinol. 16(5): 411-22, 2004.

(14) Silva D[#], **Venihaki M**[#], Guo WH, and Lopez MF. [#]*Equally contributed authors.* Igf2 Deficiency Results in Delayed Lung Development at The End of Gestation. Endocrinology, 147(12): 5584-91, 2006.

(15) Dermitzaki E, Tsatsanis C, Minas V, Chatzaki E, Charalampopoulos I, **Venihaki M**, Androulidaki A, Lambropoulou M, Spiess J, Michalodimitrakis E, Gravanis A, Margioris AN. Corticotropin-releasing factor (CRF) and the urocortins differentially regulate catecholamine secretion in human and rat adrenals, in a CRF receptor type-specific manner. Endocrinology, 148(4): 1524-38, 2007.

(16) Arditi JD, **Venihaki M**, Karalis KP, Chrousos GP. Antiproliferative effect of adiponectin on MCF7 breast cancer cells: a potential hormonal link between obesity and cancer. Horm Metab Res., 39(1): 9-13, 2007.

(17) Gkountelias K, Tselios T, **Venihaki M,** Deraos G, Lazaridis I, Rassouli O, Gravanis A, Liapakis G. Alanine scanning mutagenesis of the second extracellular loop of type 1 corticotropin-releasing factor receptor revealed residues critical for peptide binding. Mol Pharmacol. 2009 Apr; 75(4):793-800.

(18) Androulidaki A, Dermitzaki E, **Venihaki M**, Karagianni E, Rassouli O, Andreakou E, Stournaras C, Margioris AN, Tsatsanis C. Corticotropin Releasing Factor promotes breast cancer cell motility and invasiveness. Mol Cancer. 2009 Jun 2;8:30.

(19) Rassouli O, Gravanis A, Margioris AN, Karalis KP and **Venihaki M**. Corticotropinreleasing hormone (Crh) deficiency accelerates dermal fibroblast proliferation; role of interleukin IL-6. Under review.

(20) **Venihaki M**, Rassouli O and Katia P. Karalis. Altered cutaneous wound healing in Crh-/- mice: Role of Interleukin-6. Submitted.

(21) Mavridou S, **Venihaki M**, Rassouli O, Tsatsanis C and Dimitris Kardassis. Feedback inhibition of human Scavenger Receptor class B type I gene expression by glucocorticoid in adrenal and ovarian cells. Endocrinology. 2010 Jul;151(7):3214-24.

(22) Arranz A, Venihaki M, Mol B, Androulidaki A, Dermitzaki E, Rassouli O, Ripoll J, Stathopoulos EN, Gomariz RP, Margioris AN, Tsatsanis C. The impact of stress on tumor growth: peripheral CRF mediates tumor-promoting effects of stress. Mol Cancer. 2010 Sep 27;9:261.

Conference Proceedings

(1) Margioris AN, **Venihaki M**, Stournaras C, Gravanis, A. PC12 cells as a model to study the effects of opioids on normal and tumoral adrenal chromaffin cells. Annals of the New York Academy of Sciences, 771:166-173, 1995.

(2) **Venihaki M**, Gravanis A, Margioris AN. KAT45 human pheochromocytoma cell line. A new model for the in vitro study of neuro-immuno-hormonal interactions. Annals of the New York Academy of Sciences 840: 425-33, 1998

Reviews:

- (1) **Venihaki M**, Majzoub JA. Animal models of CRH deficiency. Frontiers in Neuroendocrinology 20(2): 122-145, 1999
- (2) **Venihaki M**, Muglia L, Majzoub J.A. Corticotropin-releasing hormone and the lung. In: Endocrinology of the lung, ed. Mendelson C, Humana Press
- (3) Margioris AN, Dermitzaki E, **Venihaki M** and Gravanis A. Interleukin (IL)-1 family of cytokines and corticotropin-releasing hormone (CRH) in the adrenal gland. In: Adrenal Disorders, ed. Margioris AN end Chrousos GP, Humana Press, 2001.
- (4) **Venihaki M** and Majzoub JA. Lessons from CRH knockout mice. Neuropeptides: 36 (2-3): 96-102, 2002.
- (5) Tsatsanis C., Androulidaki A., **Venihaki M**., Dermitzaki E., Margioris AN. Signaling networks regulating COX-2. Int. J. Biochem. Cell. Biol., 38(10): 1654-61, 2006.
- (6) Tsatsanis C, Dermitzaki E, Venihaki M, Chatzaki E, Minas V, Gravanis A, Margioris AN. The corticotropin-releasing factor (CRF) family of peptides as local modulators of adrenal function. Cell Mol Life Sci. 64(13): 1638-55, 2007.
- (7) K.P. Karalis, T. Teli, M.Venihaki "Coricotropin Releasing Factor and Urocortins as mediators of local inflammation", special issue Brain immunology, editor I. Elevkov, 2009.

Seminars-Talks

June 2001: Corticotropin-Releasing Hormone (CRH) regulates leptin during immune activation. The 83rd Annual Endocrine Society Meeting, Denver, Colorado

June 2001: Altered hypothalamic-pituitary-adrenal (HPA) axis regulation in tumor necrosis factor alpha (TNF α)-deficient mice. The 83rd annual Endocrine Society Meeting, Denver, Colorado.

September 2001: Role of CRH and CRH-related peptides during stress. Medical School, University of Crete.

November 2001: Corticotropin-releasing hormone regulates IL-6 expression during inflammation. Division of Gastroenterology, BIDC Hospital.

February 2002: Corticotropin-releasing factor family and stress. Division of Gastroenterology, BIDC Hospital.

June 2002: A role for Corticotropin-Releasing Hormone (CRH) in wound healing. The 84th Annual Endocrine Society Meeting, San Franscisco, California.

September 2007: Cutaneous Wound Healing. Retreat of the Graduate Program"Cellular and Genetic Etiology, Diagnosis and Treatment of Human Disease", Crete

Abstracts (of a total of 50)

(1) Makrigiannakis A, Markogiannakis M, **Venihaki** M, Skoula A, Gravanis A, Margioris AN. The prodynorphin gene is expressed in the Ishikawa human endometrial cell line. The Ninth International Congress of Endocrinology, Nice, France, 1992.

(2) **Venihaki** M, Makrigianakis A, Gravanis A, Margioris AN. Dopamine secretion from the PC12 pheochromocytoma cell line is decreased by opioids. The 75th Annual Endocrine Society Meeting, USA, #551, 1993.

(3) **Venihaki** M, Gravanis A, Margioris AN. Endogenous kappa opioids affect the proliferation of PC12 rat pheochromocytoma cells. The 76th Annual Endocrine Society Meeting, USA, #1621, pp 606, 1994.

(4) **Venihaki** M, Gravanis A, Margioris AN. Opioids may play a role in the proliferation of pheochromocytoma cells. IIIrd European Congress of Endocrinology, Amsterdam, Holland, #1.060, 1994.

(5) **Venihaki** M, Gravanis A, Margioris AN. The corticotropin-releasing hormone exerts a paracrine stimulatory effect on dopamine secretion from PC12 rat pheochromocytoma cells. The 77th Annual Endocrine Society Meeting, USA, # P3-579, pp 613, 1995.

(6) **Venihaki** M, K. Ain, Gravanis A, Margioris AN. Production and paracrine effects of corticotropin-releasing hormone on a human pheochromocytoma cell line. 10th International Congress of Endocrinology San Francisco, 1996 (Προφορική παρουσίαση).

(7) **Venihaki** M, Ain K, Gravanis A, Margioris AN. Human pheochromocytoma KAT-45 cells produce interleukin-1b which stimulates their production of catecholamines and corticotropin-releasing hormone (CRH).10th International Congress of Endocrinology San Francisco, #P2-893, pp 74, 1996.

(8) **Venihaki** M, Gravanis A, Margioris AN. KAT45, A new human pheochromocytoma cell line, produces interleukin (IL)-1b which exerts multiple paracrine effects. 3rd International Congress for neuroimmunomodulation. Washigton 1996.

(9) **Venihaki** M, Gravanis A, Dermitzaki E, Margioris AN. Production of interleukin-6 by the KAT45 human pheochromocytoma cell line. The 79th Annual Endocrine Society Meeting, USA, *#* P3-293, pp 510, 1997.

(10) **Venihaki** M, Gravanis A, Margioris AN. Regulation of the proliferation of the new KAT45 human pheochromocytoma cell line. The 79th Annual Endocrine Society Meeting, USA, # P3-294, pp 510, 1997.

(11) **Venihaki** M, and Majzoub JA. Hypothalamus-pituitary-adrenal axis development in the CRH knockout fetal mice. The 80th Annual Endocrine Society Meeting, New Orleans, USA.

(12) **Venihaki** M, Majzoub JA, Ferrara JLM and Karalis KP. CRH deficiency causes impaired cytokine secretion in vitro. The 80th Annual Endocrine Society Meeting, New

Orleans, USA # P1-414.

(13) **Venihaki** M, Weninger SC, and Majzoub JA. Onset of circadian rhythimicity precedes adrenal stress responsiveness in neonatal mice. The 81st Annual Endocrine Society Meeting, San Diego, USA.

(14) **Venihaki** M, and Karalis K. Normal adrenal gland stimulation despite pituitary hyporesponsiveness in inflamed CRH knockout (KO) mice. The 81st Annual Endocrine Society Meeting, San Diego, USA.

(15) **Venihaki** M, Zhao J, Jackson A, and Karalis K. Inhibition of pituitary NF- κ B by Corticotropin-releasing hormone (CRH): Potential role in the regulation of the stress response. The 82nd annual Endocrine Society Meeting, Toronto Canada

(15) **Venihaki** M, Rosenfeld MG and Majzoub JA. Lung Corticotropin-releasing hormone (CRH): An important regulator of the fetal hypothalamic-pituitary-adrenal (HPA) axis. The 82nd annual Endocrine Society Meeting, Toronto Canada

(16) Huang SA, Tu HM, Harney JW, **Venihaki** M, Butte AJ, Kozakewich HP, Fishman SJ, Larsen PR. A new cause of severe hypothyroidism: Rapid thyroid hormone inactivation by type 3 iodothyronine deiodinase (D3) expressed in infantile hemangiomas. The 82nd annual Endocrine Society Meeting, Toronto Canada

(17) Vlerken L, **Venihaki** M, and Karalis K.P. Vasopressin (AVP)-independent activation of the hypothalamic-pituitary-adrenal (HPA) axis of the corticotropin-releasing hormone-deficient (*Crh-/-*) mice during inflammation. The 83rd annual Endocrine Society Meeting, Denver, Colorado.

(18) **Venihaki** M and Karalis K.P. Corticotropin-Releasing Hormone (CRH) regulates leptin during immune activation. The 83rd annual Endocrine Society Meeting, Denver, Colorado. Selected for oral presentation

(19) **Venihaki** M, Kollias G, and Karalis K.P. Altered hypothalamic-pituitary-adrenal (HPA) axis regulation in tumor necrosis factor alpha (TNF α)-deficient mice. The 83rd annual Endocrine Society Meeting, Denver, Colorado. Selected for oral presentation

(20) **Venihaki** M and Karalis K.P. A Role for Corticotropin-Releasing Hormone (CRH) in cutaneous wound healing. The 84th annual Endocrine Society Meeting, San Francisco, CA. Selected for oral presentation

(21) **Venihaki** M, vanVlerken L, and Karalis K.P. Leptin regulation in tumor necrosis factor alpha (TNF α)-deficient mice. The 84th annual Endocrine Society Meeting, San Francisco, CA.

(22) Maria **Venihaki**, Satoru Sakihara, Pieter Dikkes, Srikanth Subramanian, George Liapakis, Thomas Graf and Joseph A Majzoub. Role of Ucn III in the regulation of the stress response. The 84th annual Endocrine Society Meeting, San Francisco, CA.

(23) Majzoub J.A., **Venihaki** M., Jeong K.H., Weninger S.C., Karalis K. CRH-related hypothalamic peptides: Endocrine, behavioural and autonomic effects.

(24) **Venihaki** M., Weaver D., Majzoub J.A. Disruption of the clock gene results in impaired corticosterone response to stress. The 85th annual Endocrine Society Meeting, Philadelphia, PA.

(25) Arditi J., **Venihaki** M., Karalis Kp., Chrousos GP. Anti-Proliferative Effect of Adiponectin on MCF7 cells: A Potential Direct Link between Obesity and Cancer. The 87th annual Endocrine Society Meeting, San Diego, CA.(35) Arditti J., **Venihaki** M., Chrousos GP., Karalis KP. Decreased Adiponectin mRNA Expression in *Crh-/-* mice in Cutaneous Wound Healing. The 87th annual Endocrine Society Meeting, San Diego, CA.

(26) Dermitzaki E, Tsatsanis C, **Venihaki** M, Minas V, Androulidaki A, Charalampopoulos I, Gravanis A and Margioris AN. **Dermitzaki E**, Tsatsanis C, Venihaki M, Minas V, Androulidaki A, Charalampopoulos I, Gravanis A and Margioris AN (2005) Differential effects of Corticotropin-Releasing Factor receptor 1 (CRF₁) and 2 (CRF₂) in catecholamine secretion and production in adrenomedullary chromaffin cells. 57^{th} *Meeting of Hellenic Society of Biochemistry & Molecular Biology*, Greece.

(27) Dermitzaki E, Tsatsanis C, **Venihaki** M, Minas V, Androulidaki A, Chatzaki A, Charalampopoulos I, Gravanis A and Margioris AN. Differential effects of Corticotropin-Releasing Factor receptor 1 (CRF₁) and 2 (CRF₂) in catecholamine secretion and production in adrenomedullary chromaffin cells. 88th Annual Meeting of Endocrine Society, USA, 2006.

(28) Tsatsanis C, Androulidaki A, **Venihaki** M, Dermitzaki E, Gravanis A and Margioris AN. Corticotropin Releasing Factor (CRF), Urocortin (UCN)1 and UCN2 exert an antiinflammatory effect during the early phase of inflammation suppressing LPS-induced TNF- α release from macrophages via induction of COX-2 and PGE₂. 88th Annual Meeting of Endocrine Society, USA, 2006.

(29) Zacharioudaki V, Tsatsanis C, Androulidaki A, **Dermitzaki E**, Charalampopoulos I, Minas V, Gravanis A. and Margioris AN (2005) Adiponectin is a strong pro-inflammatory agent in macrophages and promotes their tolerance to pro-inflammatory stimuli, including its own. *57th Meeting of Hellenic Society of Biochemistry & Molecular Biology*, Greece.

(30) Dermitzaki E, Tsatsanis C, **Venihaki** M, Minas V, Androulidaki A, Gravanis A, Margioris AN. Corticotropin-releasing factor (CRF) and Urocortins affect catecholamines in a CRF receptor type-specific manner. 31st FEBS Congress, Istanbul, 2006.

(31) Dermitzaki E, Tsatsanis C, **Venihaki** M, Minas V, Androulidaki A, Chatzaki A, Charalampopoulos I, Gravanis A, Margioris AN. Differential effects of corticotropinreleasing factor receptor 1 (CRF1) and 2 (CRF2) in catecholamine secretion and production from adrenomedullary chromaffin cells. 12th Meeting of the European Neuroendocrine Association (ENEA), Greece, 2006.

(32) Tsatsanis C, Androulidaki A, **Venihaki** M, Dermitzaki E, Gravanis A, Margioris AN Corticotropin Releasing Factor (CRF) and Urocortin (UCN)1 exert a biphasic effect on macrophages being anti-inflammatory at the early stages and pro-inflammatory during the late phase of the inflammatory response. 12th Meeting of the European

Neuroendocrine Association (ENEA), Greece, 2006.

(33) Dermitzaki E, Tsatsanis C, Androulidaki A, **Venihaki** M, Gravanis A and Margioris AN. CRF and the Urocortins activate NFAT and induce catecholamine production in PC12 cells. ECE, Budapest, 2007.

(34) E. Karagianni, A. Androulidaki, E. Dermitzaki, M. **Venihaki**, O. Rassouli, M. Spiliotaki, V. Zacharioudaki, C. Stournaras, A. Gravanis, C. Tsatsanis, A. N. Margioris. CORTICOTROPIN RELEASING FACTOR (CRF) AFFECTS BREAST CANCER CELL PROLIFERATION, APOPTOSIS AND INVASIVENESS. 59th National Conference of Biochemistry and Molecular Biology. December 7-9, 2007. Greece

(35) Arranz A, Androulidaki A, Rassouli O, Dermitzaki E, Ripoll J, **Venihaki** M, Margioris AN, Tsatsanis C (2008) The impact of stress on tumour growth; the significance of peripheral Corticotropin Releasing Factor. *5th* Era of Hope Conference

(36) Rassouli O, Gravanis A, Margioris AN, Karalis KP and Maria **Venihaki**: Corticotropinreleasing hormone (Crh) deficiency accelerates dermal fibroblast proliferation; role of interleukin IL-6. 91th Annual Meeting of Endocrine Society, USA, 2009.

(37) Avgoustinaki P, Dermitzaki E, **Venihaki** M, **T**satsanis C, Margioris AN (2010) IL-1Rassociated kinase-M within the circulating monocytes/macrophages (M/M) is a useful marker of metabolic inflammation in obesity. *18th ECO*.

(38) Ioanna Plati, Anastasia Fotaki, Andrew N. Margioris, and Maria Venihaki. Glutamine pretreatment alters cytokine levels in Corticotropin-Releasing Hormone- deficient (*Crh-/-*) mice during LPS-induced systemic inflammation. 6th Annual Meeting of the Greek Society of Pharmacology, 2010, Ηράκλειο.

(39) Sylvia Agathou, lakovos Lazaridis, Ioannis Charalampopoulos, Maria Venihaki^{*} and Achille Gravanis^{*} (*Equal contributors). Inhibition of the inflammatory response of activated microglia by a novel 17 spiro analog of neurosteroid dehydroepiandrosterone. 6th Annual Meeting of the Greek Society of Pharmacology, 2010, Ηράκλειο.

(40) Olga Rassouli, George Liapakis^{*}, lakovos Lazaridis^{*}, George Sakellaris, Kostas Gkountelias, Achille Gravanis, Andrew N. Margioris, Katia P. Karalis and Maria Venihaki. (*Equal contributors). A Novel Role of Endogenous Corticotropin-releasing hormone (*Crh*) on dermal Fibroblast Function. 6th Annual Meeting of the Greek Society of Pharmacology, 2010, Ηράκλειο.

Dissertation

Venihaki M. In vitro effects of neuropeptides, including opioids, on rat and human pheochromocytomas. Medical School, University of Crete, 1996.